

Released: March 15, 2016

PRODUCT NAME(S): Concrete Dye - Midnight

SECTION 1 – IDENTIFICATION

Manufacturer's Info: Product name: Concrete Dye – Midnight

Rhino Linings Corporation 9747 Businesspark Avenue San Diego, CA, 92131

Information phone: (858) 450 0441

Emergency contact: CHEMTREC (800) 424 9300

SECTION 2 - HAZARD(S) IDENTIFICATION

OSHA Hazard Communication Standard:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

GHS-Label Elements:

Signal Word:

DANGER

Pictogram(s):





GHS 08

GHS 09

Classification of the substance or mixture:

| Hazard Class | Category | Hazard Statement Codes | Hazard Statements |
|-------------------------|----------|------------------------|---|
| Reproductive toxicity | 1B | H360 | May damage fertility or the unborn child |
| Aquatic Hazard, Acute | 2 | H401 | Toxic to aquatic life |
| Aquatic Hazard, Chronic | 2 | H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements:

Prevention: P201 Obtain special instruction before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P273 Avoid release to the environment.

Response: P308 + P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Storage: P405 Store locked up.

Disposal: P501 Dispose of contents/container to hazardous or special waste collection point in

accordance with local/regional/national/international regulations.

Hazards not otherwise classified: Combustible Dust

75% - unknown acute and chronic toxicity; 75% - unknown hazards to the environment. Product consists of Chromium compounds. See Section 11, 12 and 15 for additional info.

| SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS | | | | | | | |
|--|--------------|--------------|------------------|--|--|--|--|
| Components | CAS# EC# | | Concentration, % | | | | |
| Azo metal complex (Chromium (III) Compound) 1 | Trade secret | Trade secret | 30 – 60 | | | | |
| Azo metal complex (Chromium (III) Compound) 2 | Trade secret | Trade secret | 10 – 30 | | | | |
| Azo metal complex (Chromium (III) Compound) 3 | Trade secret | Trade secret | 10 – 30 | | | | |

SECTION 4 - FIRST-AID MEASURES

Description of First Aid measures:

Inhalation: Move to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory problems, seek

medical attention.

Skin: Wash material off of the skin with plenty of soap and water. Remove contaminated clothing and shoes and wash

them before reuse. Get medical advice/attention if irritation develops or persists.

Eye: Immediately rinse with water for several minutes, especially under the eyelids. Remove contact lenses, if present and

easy to do. Continue rinsing for at least 15 minutes. Do not rub eyes in order to prevent corneal injury. Get medical

advice/attention if eye irritation develop or persists.

Ingestion: Move to fresh air and keep at rest in a position comfortable for breathing. Remove dentures if any. Rinse mouth

thoroughly with water and then drink 60 to 240 mL (2 to 8 oz). Get medical advice/attention if symptoms occur.



Released: March 15, 2016

Most important symptoms/effects, acute and delayed: See Section 11 for more details.

General advice for First Aid responders: Show this SDS to physician.

Note to physician: Specific antidotes or neutralizers do not exist. Treatment should be supportive and based on the judgment of the physician in response to the reaction of the patient. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Recommended medical monitoring for at least 24hours.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. **Unsuitable extinguishing media:** Not known.

Specific hazards arising from the chemical: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. Hazardous combustion products: carbon, nitrogen and oxides of metals present in the product, low molecular weight organic compounds.

Special Protective Equipment and Precautions for fire-fighters: Wear NIOSH or OSHA approved self-contained breathing apparatus in positive pressure mode with full face piece and full protective gear. Isolate the scene by removing all persons from the incident area. No action should be taken involving any personal risk or without suitable training.

Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Ensure adequate ventilation/exhaust extraction. Avoid breathing dust during clean up. Take precautionary measures against static discharges when cleaning up. Use protective equipment as described in Section 8.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater, basements or confined areas. Inform the relevant authorities if the product has caused environmental pollution. Water polluting material. See Section 12 for more details.

Methods and materials for containment and cleaning up: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with HEPA filter and place in a designated labeled waste container. Seal the container, and properly dispose of the waste material in accordance with existing federal, state and local regulations.

Residues from spill cleanup may continue to be regulated under provisions of RCRA and require storage and disposal as hazardous waste. For major spills, see Section 1 for the Emergency contact; for further disposal measures, see Section 13.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Avoid generating and do not breathe dust. Do not rely on your sight to determine if dust is in the air. Use adequate ventilation and dust collection methods to keep airborne levels below the exposure limits. Maintain and test ventilation and dust collection equipment. Do not permit dust to collect on walls, floors, sills, ledges, machinery, or equipment. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Take precautionary measures against static discharges. Wear appropriate respiratory, eye and skin protection. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Hands and/or face should be washed before eating, drinking and smoking and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas. Wash or vacuum clothing when becomes dusty.

Conditions for safe storage, including any incompatibilities: Store in a dry, cool and well-ventilated area, protected from direct sunlight and away from incompatible materials (see Section 10 for details), food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed.

Storage stability: Stable under normal conditions.

Employee education and training in the safe use and handling of this product are required under the OSHA Hazard Communication Standard 29 CFR 1910.1200. Employees and consumers should be warned of health risks associated with product use. See Section 8 for additional information on hygiene measures.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters/Occupational exposure limit values: Results are listed in Section 15.

Appropriate engineering controls: Good local and general ventilation and wet methods should be sufficient to control worker exposure to airborne contaminants below recommended exposure limits. Local exhaust may be required in some areas.

Personal protective equipment:

Eye/face protection:

When directly handling product, eye protection is required. Examples of eye protection include safety glasses with side shields or chemical goggles. Contact lenses should not be worn when working with this product. Dust can get under the lenses and cause abrasion of the cornea.



Released: March 15, 2016

Skin/body protection:

Impervious gloves should be worn when working with this product. Do not rely on barrier creams in place of impervious gloves. Do not get product inside gloves.

Body should be covered with appropriate clothing (apron, arm covers or full body suit) depending on the task being performed and the risks involved. Appropriate footwear should be also selected based on the task being performed and the risks involved. Wash contaminated clothing when becomes dusty.

Respiratory protection:

Use local or general ventilation to control exposures below applicable exposure limits.

Use properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product, and assigned protection factor of the selected respirator.

Additional Protective Measures: Educate and train employees in safe handling of this product. Follow all label instructions. As a general hygiene practice, wash hands and face after use. Clean water should always be readily available for emergency skin and eye washing.

| SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES | | | | |
|--|----------------|--|--|--|
| Appearance: | Powder | | | |
| Odor: | Odorless | | | |
| Odor threshold: | Not applicable | | | |
| pH: | Not available | | | |
| Melting point/ freezing point: | Not available | | | |
| Initial boiling point and boiling range: | Not available | | | |
| Flash point: | Not applicable | | | |
| Evaporation rate: | Not applicable | | | |
| Flammability (solid, gas): | Not available | | | |
| Upper/ lower flammability or explosive limits: | Not applicable | | | |
| Vapor pressure: | Not applicable | | | |
| Vapor density: | Not applicable | | | |
| Relative density: | Not available | | | |
| Solubility (water): | Insoluble | | | |
| Partition coefficient n-octanol/water: | Not available | | | |
| Auto-ignition temperature: | Not available | | | |
| Decomposition temperature: | Not available | | | |
| Viscosity: | Not applicable | | | |

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Product will not undergo hazardous polymerization. Corrosive effects to metal are not anticipated.

Chemical stability: Stable under recommended storage conditions.

Conditions to avoid: Generation of dust, open flame and sparks.

Incompatible materials: Not known.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced. In fire conditions, depending on temperature, air supply and presence of other materials, decomposition products can include, but are not limited to carbon, nitrogen and oxides of metals present in the product, low molecular weight organic compounds.

SECTION 11 - TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin and Eve Contact, Inhalation and Ingestion.

Symptoms of exposure:

Acute toxicity:

No sufficient data available. Oral: Dermal: No sufficient data available. Inhalation: No sufficient data available.

Skin corrosion / irritation: No sufficient data available.

Serious eye damage / eye irritation: May cause eye irritation (tearing and redness). Dust may cause abrasion of the cornea.

Specific target organ toxicity, single exposure: Not expected.

Aspiration hazard: Not an aspiration hazard.

Chronic toxicity:

Respiratory and Skin Sensitizer:

Chromium (III) compounds may cause allergic skin reaction in some people. Available data are not sufficient for classification. Germ cell mutagenicity:

No sufficient data available.



Released: March 15, 2016

Carcinogenicity:

Chromium (III) compounds are listed by IARC: Group 3 (Not Classifiable as to its Carcinogenicity to Humans).

Reproductive toxicity:

General info about Chromium

(III) Compounds

This product contains component that may damage fertility or the unborn child.

Azo metal complex (Chromium (III) Compound) 2, CAS #: Trade Secret

Specific target organ toxicity, repeated exposure:

No sufficient data available.

Medical conditions aggravated by overexposure: Respiratory tract irritation.

Toxicity test results: Not available for the mixture. Results for components, where available:

Probable routes of human exposure to chromium and chromium compounds are by ingestion and inhalation.

Water-insoluble chromium(III) compounds and chromium metal are not considered a health hazard, while hexavalent chromium compounds have extreme toxicity from inhalation and oral exposure and are known carcinogen and reproductive hazard.

The trivalent and hexavalent forms are believed to be the biologically active species, but their health impacts are not identical, in part

because hexavalent chromium readily penetrates biological membranes while chromium (III) generally does not.

Health effects of exposure to Chromium based azo dyes: Eye and skin contact may cause irritation. Inhalation may cause irritation. May

cause sensitization by skin contact. No other effects of exposure have been observed.

Chronic toxicity:

Sensitization, skin and respiratory: Chromium salts (chromates) are also the cause of allergic reactions in some people. Contact with products containing chromates can lead to allergic contact dermatitis and irritant dermatitis, resulting in ulceration of the skin, sometimes referred to as "chrome ulcers".

Although data from animal studies have identified the respiratory tract as the major target organ for chronic chromium exposure, they do not demonstrate that the effects observed following inhalation of hexavalent chromium particulates are relevant to inhalation of chromium

Reproductive toxicity: No information is available on the reproductive or developmental effects of chromium (III) in humans. A study of mice fed high levels of chromium (III) in their drinking water has suggested a potential for reproductive effects, although various study characteristics preclude a definitive finding. No developmental effects were reported in the offspring of rats fed chromium (III) during their developmental period.

Carcinogenicity: No data are available on the carcinogenic potential of chromium (III) compounds alone. Listed on IARC: Group 3 (Not classifiable); EPA: Group D (Not classifiable as to carcinogenicity in humans). Only the hexavalent form of chromium (CAS #: 18540-29-9) is listed in IARC Group 1 (human carcinogen). Epidemiological studies of workers have clearly established that inhaled hexavalent chromium is a human carcinogen, resulting in an increased risk of lung cancer. Chronic inhalation affects also fine capillaries in kidneys and intestines.

STOT, RE: The respiratory tract following inhalation.

Acute Toxicity:

Oral LD50 (Rat): > 5,000 mg/kg (OECD Guideline 401); Virtually nontoxic after a single ingestion.

Dermal LD50 (Rat): > 2,000 mg/kg (OECD Guideline 402); Virtually nontoxic after a single skin contact.

Inhalation-dust/aerosol LC50 (Rat), 4hrs: > 5.9 mg/L. Virtually nontoxic by inhalation.

Skin corrosion/irritation (Rabbit): No irritating effect. (OECD Guideline 404)
Serious eye damage/eye irritation (Rabbit): No irritating effect. (OECD Guideline 405)

STOT, SE: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Aspiration hazard: No

Azo metal complex (Chromium (III) Compound) 2, CAS #: Trade Secret

Chronic toxicity:

Sensitization, skin and respiratory (guinea pig): Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406) Germ cell mutagenicity: The substance was mutagenic in a bacterial test system. The substance was not mutagenic in mammalian cell culture. The substance was not genotoxic in mammalian cell culture. The substance was not genotoxic in a test with mammals. Carcinogenicity: No data available.

Reproductive toxicity. The results of animal studies suggest a fertility impairing effect. The results of animal studies gave indication of developmental toxic/teratogenic effects with high doses (OECD 421/422).

STOT, RE: Repeated oral uptake of the substance did not cause substance-related effects. Oral: (Rat, male/female), 28 days: at 50, 200, 1000 mg/kg; NOAEL: 50 mg/kg (OECD Guideline 407)

Remark: Product not tested; The statement has been derived from substances/products of a similar structure or composition.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Acutely and chronically hazardous for aquatic organisms. This product consists of chromium compounds which are present in complex bound form as substantial constituent of the colorant. Do not dispose in the environment.

Persistence and degradability: Not readily biodegradable by OECD criteria.

Bioaccumulative potential: Not known.

Mobility in soil: Not known.

Azo metal complex

CAS #: Trade Secret

Other adverse effects: Not known.

Ecotoxicity test results: Not available for the mixture. Results for components, where available:

Acute Toxicity: Acutely toxic for aquatic organisms.

Fish (Zebrafish), 96hrs: LC50: > 100 mg/L* (OECD Test Guideline 203, static). No toxic effects occur within the range of solubility. An aqueous

dispersion has been tested.

Aquatic Invertebrates (Daphnia magna), 24hrs: EC50: > 1,000 mg/L* (OECD Test Guideline 202, part 1, static). No toxic effects occur within

the range of solubility. An aqueous solution prepared with solubilizers has been tested.

Aquatic Plants (algae), 72hrs: EC50: >100 mg/L* (growth rate), (OECD Test Guideline 201). No toxic effects occur within the range of (Chromium (III) Compound) 2,

*The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has

been tested. Limit concentration test only (LIMIT test).

Chronic toxicity: May cause long-term adverse effects in the aquatic environment.

Ecological data:

Persistence and degradability: Not readily biodegradable by OECD criteria. Colorants are by their nature very stable and are therefore not

Released: March 15, 2016

readily biodegradable under conditions prevailing in surface water or in effluent treatment plants. The colorant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant.

Elimination information: 3.5 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC,C.4-C) (aerobic, activated sludge, non-adapted)

Bioaccumulative potential: Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected. Mobility in soil: Adsorption to solid soil phase is not expected.

The product contains Chromium (III) ion. The heavy metals mentioned are present in complex bound form as substantial constituent of the colorant.

SECTION 13 - DISPOSAL CONSIDERATIONS

Product Disposal: The generation of waste should be avoided or minimized wherever possible. If product becomes a waste, it meets criteria of hazardous waste as defined in 40 CFR 261, Subpart C and D. Do not discharge into sewer system. Dispose waste in compliance with local, state and federal regulations via licensed waste disposal contractor.

RCRA Hazardous Waste Code: Unlisted hazardous wastes characteristic of toxicity: D007 (Chromium) RQ: 10 lbs

Container disposal: Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or disposed through licensed contractor in accordance with government regulation. This material and its container must be disposed of in a safe way.

| SECTION 14 - TRANSPORT INFORMATION | | | | | | |
|------------------------------------|--|--|--|--|--|--|
| | Land transport, U.S. DOT | Sea transport, IMDG: | Air transport, IATA/ICAO: | | | |
| UN number: | UN 3077 | UN 3077 | UN 3077 | | | |
| UN proper shipping name: | proper shipping name: Environmentally hazardous | | Environmentally hazardous | | | |
| | substance, solid, n.o.s. (Contains Chromium Compounds) | substance, solid, n.o.s. (Contains Chromium Compounds) | substance, solid, n.o.s. (Contains Chromium Compounds) | | | |
| Transport hazard class(es): | 9 | 9 | 9 | | | |
| Packing group: | III | III | III | | | |
| Hazard Label | | | | | | |
| Environmental Hazard: | Marine pollutant: yes | Marine pollutant: yes EMS Code: F-A, S-F | | | | |
| Special precautions: | Shipping descriptions are provided for informational purposes and do not consider container sizes and packaging. Certain exceptions may be applied as outlined in 49 CFR 173.150. Special Provisions: 8, 146, 335, A112, B54, B120, IB8, IP3, N20, T1, TP33 Exceptions: 155; Non bulk: 213 / Bulk: 240 Passenger aircraft rail: No limit / Cargo aircraft only: No limit / Location: A | | | | | |

SECTION 15 - REGULATORY INFORMATION

U.S. Regulations:

OSHA HCS: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29CFR 1910.1200. **TSCA Regulations:**

All components of this product are listed or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

EPCRA Section 302 (40 CFR Part 355) (Emergency Response Planning, Extremely Hazardous Substance):

No components are subject to the reporting.

EPCRA Section 304 (40 CFR Part 355) (Emergency Release Notification Requirements):

No components are subject to the reporting.

EPCRA Sections 311 & 312 (Hazardous Chemical Inventory Reporting, Hazard Categories):

Chronic Health Hazard, Fire Hazard

EPCRA Section 313 (40 CFR Part 372) (Toxic Chemical Release Inventory Reporting):

The following components of this product are present above De Minimis level and therefore require reporting:

Chromium Compounds, CAS #: N/A, N090: in product: 100% De Minimis: 1.0% (for Chromium (III) Compounds)

CERCLA Sections 102-103 (40 CFR Part 302) (Hazardous Substances Release Notification):

The following components are listed:

Chromium Compounds, CAS #: N/A, N090:
 RQ: Not assigned

Clean Air Act:

- Ozone Depleting Substances (ODS): This product does not contain and is not manufactured with ozone depleting substances.
- Hazardous Air Pollutants, OSHA, Section 112(b), Table Z-1 and Table Z-3:

| ı | Substance | | Regulatory Limits | | | Recommended Limits | |
|---|---|------------|-------------------|-------------------|-----------------------------|------------------------------------|--|
| 1 | | | OSHA PEL | | Cal/OSHA PEL | NIOSH REL | ACGIH [®] 2015 TLV [®] |
| П | | | | | (as of 4/26/13) | (as of 4/26/13) | |
| | | | mppcf | mg/m ³ | 8hrs TWA, mg/m ³ | Up to 10hrs TWA, mg/m ³ | 8hrs TWA, mg/m ³ |
| | Chromium (III) Compounds (as Cr), CAS #:7440-47-3 | | - | 0.5 | 0.5 | 0.5 | 0.5 |
| | | | | | | See Appendix C | |
| | Inert or Nuisance Dust | Total dust | 50 | 15 | 10 (as PNOR) | See Appendix D | 10 |



Released: March 15, 2016

| Re | espirable fraction | 15 | 5 | 5 (as PNOR) | See Appendix D | 3 |
|----|--------------------|----|---|-------------|----------------|---|
|----|--------------------|----|---|-------------|----------------|---|

mppcf - millions of particles per cubic foot; Appendix D refers to Appendixes of Hazardous Air Pollutants List, Section 112(b) of Clean Air Act

Clean Water Act:

Section 307(a)(1): The following components are subject to the reporting:

Chromium Compounds, CAS #: N/A

Section 311(b): No components are subject to the reporting.

NFPA rating: Health: 1 Fire: 1 Reactivity: 0 Special: 0

HMIS rating: Health: 1 Flammability: 1 Physical hazard: 0

State Regulations:

California Prop. 65 Components:

This product contains components known to State of California to cause cancer, birth defects, or other reproductive harm.

Instruction: for regulatory information on components of this mixture, check the appropriate state websites.

International Regulations/Inventories:

Canadian Regulations: All ingredients of this product are listed or are exempt from the DSL. WHMIS Classification (Controlled Products Regulations): Class D2A: Very toxic materials

WHMIS Label Information:



SECTION 16 - OTHER INFORMATION

LEGENDGHSGlobally Harmonized SystemCASChemical Abstracts ServicesECEuropean Community

EPA Environmental Protection Agency

OSHA Occupational Safety and Health Administration

ACGIH American Conference of Governmental Industrial Hygienists NIOSH National Institute of Occupational Safety and Health

PEL Permissible Exposure Limits
TLV Threshold Limit Value

ILV Infeshold Limit Value
REL Recommended Exposure Limit
TWA Time-Weighted Average
STEL Short-term exposure limit

IARC International Agency for Research on Cancer

NTP National Toxicology Program

STOT, SE Specific Target Organ Toxicity following Single Exposure STOT, RE Specific Target Organ Toxicity following Repeated Exposure

DOT Department of Transportation

IMDG International maritime dangerous goods code

IATA, ICAO International Air Transport Association, International Civil Aviation Organization

TSCA Toxic Substances Control Act

EPCRA Emergency Planning and Community Right-to-Know Act

CERCLA Comprehensive Environmental Response, Compensation and Liability Act

CFR Code of Federal Regulations RQ Reportable Quantity DSL Domestic Substance List

WHMIS Workplace Hazardous Materials Information System

Latest revision date: March 15, 2016 - Preparation of SDS in accordance to the GHS requirements

Date of the previous revision: Not available.

Disclaimer: The data set forth in this sheet are based on information provided by the suppliers of the raw materials and chemicals used in the manufacture of the aforementioned product. Rhino Linings Corporation makes no warranty with respect to the accuracy of the information provided by their suppliers, and disclaims all liability of reliance thereof.